


PERMAVOID 85mm SPORT CONDUITS (354mm WIDE) POROUS ASPHALT SURFACING SURFACE WATER INFILTRATION

Scale 1:20


Synthetic turf (refer to pitch specification) Shock pad (refer to pitch specification) Porous asphalt levelling base layer (refer to pitch specification) Min 250mm Type 3 aggregate subbase (MCHW, Volume 1, Series 800) Permavoid Permatex 300 Flexible Geotextile Permavoid 85mm Sport unit (Conduit, storage) Permavoid Permatex 200 Geotextile Prepared formation Varies where permitted Conduit centres (refer to pitch drainage design)

PERMAVOID 85mm SPORT CONDUITS (354mm WIDE) SYNTHETIC TURF SURFACING SURFACE WATER INFILTRATION

Scale 1:20



PERMAVOID 85mm SPORT CONDUITS (354mm WIDE) NATURAL TURF SURFACING SURFACE WATER INFILTRATION 3 Scale 1:20



PERMAVOID 85mm SPORT CONDUIT LATERAL OUTFALL TO RIDGIDRAIN MAIN DRAIN GA3 OPTION - ABUTTING CONNECTION
Scale 1:50

Drainage system outfall

Ridgistorm chamber

Ridgidrain main drain

Ridgidrain Y-junction to suit drainage layout

Connecting Ridgidrain


Permavoid saddle

carrier pipe


connection

(refer to drainage design)


(refer to drainage design)




PERMAVOID SPORT LATERAL CONDUIT **PIPE OUTFALL** 4 Scale 1:20




6 PERMAVOID SPORT CHECK DAM
Scale 1:20



PERMAVOID SPORT PERIMETER COLLECTOR DRAIN WITH PIPE OUTFALL
Scale 1:20




PERMAVOID SPORT CHECK DAM WITH OVERFLOW



PERMAVOID 85mm SPORT CONDUIT

SADDLE CONNECTION
Scale 1:40 Scale 1:10




PERMAVOID 85mm SPORT CONDUIT LATERAL OUTFALL TO PERMAVOID MAIN DRAIN OPTION - PIPE CONNECTION (GA2) Scale 1:50

- Prepared formation


 2x Permavoid 85mm Sport units Permavoid saddle - Permavoid saddle Pipe fitting (see Table 1) Pipe fitting (See Table 1) — Adaptor (see Table 1) — BS EN 1401-1 pipe Ridgidrain carrier pipe Fitting


PERMAVOID 85mm SPORT UNIT SADDLE CONNECTION A1) BS EN 1401-1 PIPE
Scale 1:20



PERMAVOID 85mm SPORT UNIT SADDLE CONNECTION

A2 RIDGIDRAIN PIPE
Scale 1:20





PERMAVOID SPORT 500mm Ø PERMAFILTER FLOW CONTROL TYPICAL UNIT INSTALLATION (C1) Scale 1:20

NOTES


- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- 2. Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for
- further information. 3. All dimensions in millimetres, unless otherwise stated.
- 4. All dimensions are nominal and may vary within manufacturing or
- construction tolerances. 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction
- activities 8. All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

AMENDMENT

DATE

Polypipe POLYPIPE PERMAVOID SPORTS SYSTEM FOR INFORMATION 1 of 1 **Polypipe Civils** North Road, Loughborough PERMAVOID 85mm SPORT CONDUIT 01/03/2019 NTS Leicestershire, LE11 1LE Tel: 01509 615100 Fax: 01509 615215 TYPICAL CONSTRUCTION DETAILS IG-PVS-SD-CONDUIT-001

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own isk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect. Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



TYPICAL SECTION

NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or construction tolerances.
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction activities.
- All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe

Polypipe Civils

North Road, Loughborough
Leicestershire, LE11 1LE
Tel: 01509 615100

Fax: 01509 615215

www.polypipe.com/civils

POLYPIPE PERMAVOID SPORTS SYSTEM TYPICAL CONSTRUCTION DETAIL

DRAWING TIT

PERMAVOID 85mm SPORT CONDUIT (354mm WIDE)
POROUS ASPHALT SURFACE WITH INFILTRATION

FOR INFORMATION


SHEET SIZE SHEET NO. DRAWN BY
A3 1 of 1 SH

SCALE DATE
AS Shown 01/03/2019

DRAWING NO. REV. IG-PVS-SD-I-85-C-PA

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect.

Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



TYPICAL SECTION

NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or construction tolerances.
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction activities.
- All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe Civils

North Road, Loughborough
Leicestershire, LE11 1LE

North Road, Loughborough Leicestershire, LE11 1LE Tel: 01509 615100 Fax: 01509 615215 www.polypipe.com/civils POLYPIPE PERMAVOID SPORTS SYSTEM TYPICAL CONSTRUCTION DETAIL

DRAWING TIT

PERMAVOID 85mm SPORT CONDUIT (354mm WIDE)
SYNTHETIC TURF WITH INFILTRATION

FOR INFORMATION


SHEET SIZE SHEET NO. DRAWN BY
A3 1 of 1 SH

SCALE DATE
AS Shown 01/03/2019

DRAWING NO. REV.
IG-PVS-SD-I-85-C-ST

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect.

Copyright © 2019 Polypipe. All rights reserved. "Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- 2. Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction
- 8. All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe **Polypipe Civils** North Road, Loughborough

TYPICAL CONSTRUCTION DETAIL

FOR INFORMATION SHEET SIZE DRAWN BY SHEET NO. A3 1 of 1 SH As Shown 01/03/2019 DRAWING NO


IG-PVS-SD-A-85-C-ST

Leicestershire, LE11 1LE Tel: 01509 615100 Fax: 01509 615215 www.polypipe.com/civils

PERMAVOID 85mm SPORT CONDUIT (354mm WIDE) SYNTHETIC TURF WITH ATTENUATION STORAGE

POLYPIPE PERMAVOID SPORTS SYSTEM

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect. Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



TYPICAL SECTION

NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- 2. Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction
- 8. All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe **Polypipe Civils** North Road, Loughborough Leicestershire, LE11 1LE

Tel: 01509 615100

Fax: 01509 615215


www.polypipe.com/civils

POLYPIPE PERMAVOID SPORTS SYSTEM TYPICAL CONSTRUCTION DETAIL

PERMAVOID 85mm SPORT CONDUIT (354mm WIDE) NATURAL TURF WITH INFILTRATION

FOR INFORMATION SHEET SIZE SHEET NO. DRAWN BY A3 1 of 1 SH As Shown 01/03/2019 IG-PVS-SD-I-85-C-NT


All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect. Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



500mm Ø PERMAFILTER FLOW CONTROL


TYPICAL UNIT INSTALLATION


Scale 1:20




PERMAVOID 85mm SPORT RAFT TYPICAL OUTFALL

OPTION - PERMAVOID FLOW CONTROL CHAMBER





√ Scale 1:10



PERMAVOID 85mm SPORT UNIT

PERMAVOID 85mm SPORT UNIT SADDLE CONNECTION

SADDLE CONNECTION A2 RIDGIDRAIN PIPE
Scale 1:20

Permavoid Saddle		Fitting		Adaptor		Outfall Pipe
Description	Product Code	Description	Product Code	Description	Product Code	
170/110 (110mm Ø spigot)	PV06531	110mm BS EN 1401-1 D/S coupler	UD401	N/A		110mm Ø BS EN 1401-1
170/160 (160mm Ø spigot)	PV06535	160mm BS EN 1401-1 D/S coupler	UD601	N/A		160mm Ø BS EN 1401-1
170/110 (110mm Ø spigot)	PV06531	110mm BS EN 1401-1 D/S coupler	UD401	100mm Ridgidrain socket to 110mm BS EN 1401-1 spigot	ARD100110	100mm Ø Ridgidrain
170/160 (160mm Ø spigot)	PV06535	160mm BS EN 1401-1 D/S coupler	UD601	150mm Ridgidrain socket to 160mm BS EN 1401-1 spigot	ARD150160	150mm Ø Ridgidrain




- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- 2. Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for further information.
- 3. All dimensions in millimetres, unless otherwise stated. 4. All dimensions are nominal and may vary within manufacturing or
- construction tolerances.
- 5. All site temporary and enabling works by others. 6. Polypipe products to be installed in accordance with Polypipe Civils
- recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected
- operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction activities.
- 8. All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

AMENDMENT

DATE



All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect. Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



Scale 1:10

NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- Typical installation details shown. A site specific assessment of the
 proposed pitch construction should be undertaken by suitably
 qualified personel, considering the underlying ground conditions and
 overall site drainage plan. Contact Polypipe Civils' technical office for
 further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or construction tolerances.
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction activities.
- All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe Polypipe Polypipe Civils

North Road, Loughborough Leicestershire, LE11 1LE Tel: 01509 615100 Fax: 01509 615215 www.polypipe.com/civils POLYPIPE PERMAVOID SPORTS SYSTEM
TYPICAL CONSTRUCTION DETAIL

DRAWING TITLE

PERMAVOID 85mm SPORT RAFT SYNTHETIC TURF WITH INFILTRATION

FOR INFORMATION


SHEET SIZE SHEET NO. DRAWN BY
A3 1 of 1 SH

SCALE DATE
AS Shown 01/03/2019

DRAWING NO. REV. IG-PVS-SD-I-85-R-ST

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect.

Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.





NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- Typical installation details shown. A site specific assessment of the
 proposed pitch construction should be undertaken by suitably
 qualified personel, considering the underlying ground conditions and
 overall site drainage plan. Contact Polypipe Civils' technical office for
 further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or construction tolerances.
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction activities.
- All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe
Polypipe Civils
North Road, Loughborough

North Road, Loughborough Leicestershire, LE11 1LE Tel: 01509 615100 Fax: 01509 615215 www.polypipe.com/civils POLYPIPE PERMAVOID SPORTS SYSTEM
TYPICAL CONSTRUCTION DETAIL

DRAWING TITLE

PERMAVOID 85mm SPORT RAFT
SYNTHETIC TURF WITH ATTENUATION STORAGE

FOR INFORMATION


SHEET SIZE SHEET NO. DRAWN BY
A3 1 of 1 SH

SCALE AS Shown 01/03/2019

DRAWING NO. REV.
IG-PVS-SD-A-85-R-ST

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect.

Copyright © 2019 Polypipe. All rights reserved. 'Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.



NOTES

- 1. To be read in conjunction with architect's / engineer's / sports pitch consultant's specification.
- Typical installation details shown. A site specific assessment of the proposed pitch construction should be undertaken by suitably qualified personel, considering the underlying ground conditions and overall site drainage plan. Contact Polypipe Civils' technical office for further information.
- 3. All dimensions in millimetres, unless otherwise stated.
- All dimensions are nominal and may vary within manufacturing or construction tolerances.
- 5. All site temporary and enabling works by others.
- 6. Polypipe products to be installed in accordance with Polypipe Civils recommendations, giving due consideration to the requirements of the approving organisation(s) and the ultimate owner of the installation.
- 7. This drawing is intended for guidance only. All proposed installations should be assessed in the context of the site and expected operational conditions, in addition to the overall site drainage scheme, prior to commencement of final design or construction activities
- All construction activities shall be executed by competent personnel, in accordance with all relevant legislation, regulations, standards or codes of practice.

REV AMENDMENT DATE

Polypipe Civils
North Road, Loughborough

North Road, Loughborough Leicestershire, LE11 1LE Tel: 01509 615100 Fax: 01509 615215 www.polypipe.com/civils POLYPIPE PERMAVOID SPORTS SYSTEM TYPICAL CONSTRUCTION DETAIL

DRAWING TITLE

PERMAVOID 85mm SPORT RAFT NATURAL TURF WITH PASSIVE IRRIGATION

FOR INFORMATION								
SHEET SIZE	SHEET NO.		DRAWN BY					
A3	1 of 1		SH					
SCALE		DATE						
As Show	'n	01/03/2019						
DRAWING NO.	REV.							
IG-PVS-S	D-I-85-	R-PINT						

All information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law), if you place any reliance on this document you must do so at your own risk. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect.

Copyright © 2019 Polypipe. All rights reserved. "Polypipe logo' is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988.